

1FW/B

PATENT
ATTORNEY DOCKET NO. 04712/041002

Certificate of Mailing: Date of Deposit: April 13, 2005

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as **first class mail** with sufficient postage on the date indicated above and is addressed to Mail Stop Issue Fee, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Christine M. Colbert

Printed name of person mailing correspondence

Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Dosuk D. Lee et al.	Art Unit:	1616
Serial No.:	09/284,436	Examiner:	Konata M. George
Filed:	June 8, 2000	Customer No.:	21559
Title:	BIOCERAMIC COMPOSITIONS		

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REPLY TO NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

In reply to the Notice of Drawing Inconsistency with Specification that was mailed in connection with the above-captioned patent application on March 16, 2005, Applicants submit Figure 20, which was omitted from the documents filed with the Request for Continued Examination on October 6, 2004.

Applicants submit that Figures 1-20 have all been provided as formal drawings and that all of the requirements for issuance for this application have been met.


If there are any charges or any credits, please apply them to Deposit Account No.

03-2095.

Respectfully submitted,

Date:

April 13, 05



Paul T. Clark

Reg. No. 30,162

Clark & Elbing LLP
101 Federal Street
Boston, MA 02110
Telephone: 617-428-0200
Facsimile: 617-428-7045